



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200
Fax 613 632-5246

RBW6205G03832-3G-PO
Job Sheet 184559



Part No: RBW6205G03832-3G-PO **Job Qty:** 1 ea

Part Name: Main Rotor Blade Blocking/Protecting Assembly



Part Weight: 0 lbs

Status: New

Priority: Medium

Job Created: 10/11/18

Job Tracking No:

Due Date: 12/17/18

Created By: Patrick Lussier

Type: Stock

Description:

Note: DWG RBW6205G03832-3G Rev.5 IPP Rev. A 18.10.10 New issue DP Verify DD

Ship Via:

Bill of Materials

Job Routing

Op No	Operation	Qty	Start Date	Due Date	Standard		Workcenter/Supplier		Sign-off
					Setup hrs	Run Hrs	Workcenter / Supplier	Lead Time	
100	Purchasing	1 pcs	12/17/18	12/17/18	0.00	0.00	Purchasing		DEC 18 2018
110	Packaging	1 pcs	12/17/18	12/17/18	0.00	0.00	Packaging2		DEC 18 2018
120	QC	1 pcs	12/17/18	12/17/18	0.00	0.00	QC6		38
130	Packaging	1 pcs	12/17/18	12/17/18	0.00	0.00	Packaging3		9-89
140	QC21-FG	1 Ea	12/17/18	12/17/18	0.00	0.00	QC21		DEC 21 2018

Part Op 100 - Issue P/O: 041327 MANUFACTURE RBW6205G03832-3G AS PER DWG Supplier: METEC Certificate of Descriptions: conformity is required

Oct 11, 2018 x 01 R. Lussier

GA105

Job BOM

Part / Item	Component Name	Quantity	Operation	Container
RBW6205G03832-3GP	Main Rotor Blade Blocking/Protecting Assembly	1 (1 ea)	100-Purchasing	5138950

Job Allocations

Operation	Component Part	Required	Inventory	Allocated
100-Purchasing	RBW6205G03832-3GP	1	0	0

Part Specifications

Specifications could not be found.

Plex 10/11/18 2:15 PM dart.Lussier.Patrick



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
CANADA
TEL: 1 613 632-5200
Email: sales@dartaero.com
www.dartaerospace.com

Container No: S138955



Part: RBW6205G03832-3G

Job No: 184559

Serial No/Batch: S138955

Revision: 5

Inspector:

Exp Date:

Instructions:



Date: 12/19/18

DEC 19 1968

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS

REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED
1		-1 CH'D FINISH, CH'D REF. DIM FROM 1.378, CH'D CHAMFER DIM FROM Ø.11 X 100° AND REAR OPENING FROM 1.437. -5 CH'D INK STAMP NOTE, CH'D ANGLE PRECISION TO 74.5, ADDED P.F -13 TO L Ø.549 DIM. -9 CH'D THREAD CALL OUT FROM #6-40 UNF. -13 ADDED P.F. -5.	3/28/2011	RJC	
2		-1 CORRECTED SECTION A-A DIMENSION FROM 1.795 TO 1.772.	10/3/2012	RJC	GE
3		-1 CH'D DIM'S WAS R.125 IS R.13, WAS R.062 IS R.06. -3 CH'D DIM WAS R.125 IS R.13, REMOVED NOTE. -5 CH'D DIMS WAS Ø.549 IS LIMITS Ø.5500 - .5507, WAS R.125 IS R.13, REMOVED NOTE, ADDED SECTION D-D. -7 CH'D DIMS WAS Ø1.000 MED. KNURL IS (Ø1.000) MED. KNURL, WAS R.250 SPHER. IS SR.25 REMOVED NOTE. -9 CH'D DIM WAS Ø1.000 MED KNURL IS (Ø1.000) MED. KNURL, CORRECTED CHAMFER CALL OUT, REMOVED NOTE. -11 REMOVED NOTE. -13 CH'D DIM WAS Ø.550 IS Ø.5512 - .5515, REMOVED NOTE.	4/9/2014	DPD	RJC
4	15-0311	-1 CH'D ENGRAVE NOTE WAS PAINT BLACK AFTER PAINTING YELLOW IS FILL LETTERS WITH WHITE PAINT AND ADDED Δ .	9/25/2015	RJC	JAG
5	17-0057	-1 MOVED LOCATION OF MACHINE ENGRAVING. CH'D DIM WAS 2.17 IS 2.165±.010. -3 CH'D NOTE WAS INK STAMP P/N IS LASER ENGRAVE P/N. -5 CH'D NOTE WAS INK STAMP P/N IS LASER ENGRAVE P/N.	3/6/2017	DPD	JAG






NOTE:
PART OF KIT RBW6205G03532-3G.

ASSY QTY	ASSY QTY	B/O	Part #	UNIT QTY	Description	Material	B/O INFORMATION OR SPECIFICATIONS	PG.
			-1	1	FRAME	6061		2
			-3	1	BOTTOM	PHENOLIC		3
			-5	1	TOP	PHENOLIC		4
			-7	2	THUMB SCREW	303 S.S.		5
			-9	1	CLAMP THUMB SCREW	303 S.S.		6
			-11	1	FLAT WASHER	6061		7
			-13	2	DISC	303 S.S.		8
		B/O	-15	1	FLAT WASHER	6061-T6	#6 (MCMASTER-CARR #93286A041)	1
		B/O	-17	3	FLAT HEAD MACHINE SCREW	STEEL	#10-32 UNF -2A X 1/2 100° (MCMASTER-CARR #90471A355)	1
		B/O	-19	1	ROUND HEAD MACHINE SCREW	STEEL	#6-32 UNC -2A X 5/16 (MCMASTER-CARR #90279A145)	1
		B/O	-21	2	FELT PAD W/ADHESIVE BACK	FELT	1/8 X 3-1/2 X 10-1/4 (MCMASTER-CARR #8334K11)	1


		TITLE	
		M/R BLADE BLOCKING/PROTECTING ASSY.	
DWG NO.		REV	
RBW6205G03832-3G		5	
MAT'L		UNLESS OTHERWISE SPECIFIED	
HEAT TREAT		DIMENSIONS ARE IN INCHES	
FINISH		.XXX ± .005 FRACTIONS ± 1/8	
SPEC		.XX ± .01 ANGLES ± 5°	
		.X ± .1 SURFACES = 125/	
DRAWN BY: CLOUGH		1. BREAK ALL SHARP EDGES	
CHECKED: RJC 03/07/2017		.015 x 45° OR .015R	
OPPS APPR: AA 03/09/2017		2. DIMENSIONAL LIMITS APPLY	
QA APPR: JL 03/16/2017		AFTER PLATING	
APPROVED: JAG 04/03/2017		3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009	
SCALE 1:5		USED ON MODEL	
DATE 2/2/2011		AW139	
		SHEET 1 OF 8	

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.




①
FRAME

REVISIONS				
REV	ECR	DESCRIPTION	DATE	INITIAL
1		-1 CHD FINISH, CHD REF. DIM FROM 1.378, CHD CHAMFER DIM FROM ϕ .11 X 100° AND REAR OPENING FROM 1.437.	3/28/2011	RJC
2		-1 CORRECTED SECTION A-A DIMENSION FROM 1.795 TO 1.772.	10/3/2012	RJC
3		-1 CHD DIM'S WAS R.125 IS R.13, WAS R.062 IS R.06.	4/9/2014	DPD
4	15-0311	-1 CHD ENGRAVE NOTE WAS PAINT BLACK AFTER PAINTING YELLOW IS FILL LETTERS WITH WHITE PAINT AND ADDED $\triangle$ 1	9/25/2015	RJC
5	17-0057	-1 MOVED LOCATION OF MACHINE ENGRAVING, CHD DIM WAS 2.17 IS 2.165±.010.	3/6/2017	DPD



SECTION A-A





SECTION B-B

NOTE:
 $\triangle$ FILL LETTERS WITH WHITE PAINT.

DART AEROSPACE	
TITLE M/R BLADE BLOCKING/PROTECTING ASSY.	
DWG NO. RBW6205G03832-3G-1	REV 5
MAT'L 6061 HEAT TREAT FINISH RED ANODIZE SPEC MIL-A-8625, TYPE II, CLASS II DRAWN BY: CLOUGH CHECKED: RJC 03/07/2017 OPSS APPR: AA 03/09/2017 QA APPR: JL 03/16/2017 APPROVED: JAG 04/03/2017	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX ± .005 FRACTIONS ± 1/8 .XX ± .01 ANGLES ± 5° .X ± .1 SURFACES = 125/ .015 X 45° OR .01SR 1. BREAK ALL SHARP EDGES 2. DIMENSIONAL LIMITS APPLY AFTER PLATING 3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009 USED ON MODEL AW139	
SCALE 1:2	DATE 2/2/2011
SHEET 2 OF 8	

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS					
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED
3		-3 CH'D DIM WAS R.125 IS R.13, REMOVEDE NOTE.	4/9/2014	DPD	RJC
5	17-0057	-3 CH'D NOTE WAS INK STAMP P/N IS LASER ENGRAVE P/N.	3/6/2017	DPD	JAG




(-3)
BOTTOM

DART AEROSPACE	
TITLE M/R BLADE BLOCKING/PROTECTING ASSY.	
DWG NO. RBW6205G03832-3G-3	REV 5
MAT'L PHENOLIC	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	
HEAT	.XXX ± .005 FRACTIONS ± 1/8
TREAT	.XX ± .01 ANGLES ± 5°
FINISH	.X ± .1 SURFACES = 125/✓
SPEC	
DRAWN BY: CLOUGH	1. BREAK ALL SHARP EDGES .015 x 45° OR .015R
CHECKED: RJC 03/07/2017	2. DIMENSIONAL LIMITS APPLY AFTER PLATING
OPPS APPR: AA 03/09/2017	3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009
QA APPR: JL 03/16/2017	USED ON MODEL
APPROVED: JAG 04/03/2017	AW139
SCALE 1:2	DATE 2/2/2011
SHEET 3 OF 8	

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.




REVISIONS					
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED
1		-5 CH'D INK STAMP NOTE, CH'D ANGLE PRECISION TO 74.5, ADDED P.F. -13 TO $\square$ $\emptyset$.549 DIM.	3/28/2011	RJC	
3		-5 CH'D DIMS WAS $\emptyset$.549 IS LIMITS $\emptyset$.5500 - .5507, WAS R.125 IS R.13, REMOVED NOTE, ADDED SECTION D-D.	4/9/2014	DPD	RJC
5	17-0057	-5 CH'D NOTE WAS INK STAMP P/N IS LASER ENGRAVE P/N.	3/6/2017	DPD	JAG



DART AEROSPACE	
TITLE M/R BLADE BLOCKING/PROTECTING ASSY.	
DWG NO. RBW6205G03832-3G-5	REV 5
MATERIAL PHENOLIC	
HEAT TREAT	
FINISH	
SPEC	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX $\pm$.005 FRACTIONS $\pm$ 1/8 .XX $\pm$.01 ANGLES $\pm$ 5° .X $\pm$.1 SURFACES = 125✓	
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R	
2. DIMENSIONAL LIMITS APPLY AFTER PLATING	
3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009	
DRAWN BY: CLOUGH	USED ON MODEL
CHECKED: RJC 03/07/2017	AW139
OPPS APPR: AA 03/09/2017	
QA APPR: JL 03/16/2017	
APPROVED: JAG 04/03/2017	
SCALE 1:2	DATE 2/2/2011
SHEET 4 OF 8	

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS					
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED
3		-7 CH'D DIMS WAS Ø1.000 MED. KNURL IS (Ø1.000) MED. KNURL, WAS R.250 SPHER. IS SR.25 REMOVED NOTE.	4/9/2014	DPD	RJC






(-7)
THUMB SCREW

DART AEROSPACE	
TITLE M/R BLADE BLOCKING/PROTECTING ASSY.	
DWG NO. RBW6205G03832-3G-7	REV 5
MAT'L 303 S.S.	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES
HEAT TREAT	.XXX ± .005 FRACTIONS ± 1/8
FINISH	.XX ± .01 ANGLES ± .5°
SPEC	.X ± .1 SURFACES = 125
DRAWN BY: CLOUGH	1. BREAK ALL SHARP EDGES .015 x 45° OR .015R
CHECKED: RJC 03/07/2017	2. DIMENSIONAL LIMITS APPLY AFTER PLATING
OPPS APPR: AA 03/09/2017	3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009
QA APPR: JL 03/16/2017	USED ON MODEL
APPROVED: JAG 04/03/2017	AW139
SCALE 1:1	DATE 2/2/2011
SHEET 5 OF 8	

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS					
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED
1		-9 CH'D THREAD CALL OUT FROM #6-40 UNF.	3/28/2011	RJC	
3		-9 CH'D DIM WAS Ø1.000 MED KNURL IS (Ø1.000) MED. KNURL, CORRECTED CHAMFER CALL OUT, REMOVED NOTE.	4/9/2014	DPD	RJC






(-9)
CLAMP THUMB SCREW

DART AEROSPACE	
TITLE M/R BLADE BLOCKING/PROTECTING ASSY.	
DWG NO. RBW6205G03832-3G-9	REV 5
MAT'L 303 S.S.	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES
HEAT TREAT	.XXX ± .005 FRACTIONS ± 1/8
FINISH	.XX ± .01 ANGLES ± 5°
SPEC	.X ± .1 SURFACES = 125
DRAWN BY: CLOUGH	1. BREAK ALL SHARP EDGES .015 x 45° OR .015R
CHECKED: RJC 03/07/2017	2. DIMENSIONAL LIMITS APPLY AFTER PLATING
OPPS APPR: AA 03/09/2017	3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009
QA APPR: JL 03/16/2017	USED ON MODEL
APPROVED: JAG 04/03/2017	AW139
SCALE 1:1	DATE 2/2/2011
SHEET 6 OF 8	

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS					
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED
3		-11 REMOVED NOTE.	4/9/2014	DPD	RJC



(-11)




FLAT WASHER

DART AEROSPACE	
TITLE M/R BLADE BLOCKING/PROTECTING ASSY.	
DWG NO. RBW6205G03832-3G-11	REV 5
MAT'L 6061	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES
HEAT TREAT	.XXX ± .005 FRACTIONS ± 1/8
FINISH CLEAR ANODIZE	.XX ± .01 ANGLES ± .5°
SPEC MIL-A-8625, TYPE II, CLASS I	.X ± .1 SURFACES = 125 ✓
DRAWN BY: CLOUGH	1. BREAK ALL SHARP EDGES .015 x 45° OR .015R
CHECKED: RJC 03/07/2017	2. DIMENSIONAL LIMITS APPLY AFTER PLATING
OPPS APPR: AA 03/09/2017	3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009
QA APPR: JL 03/16/2017	USED ON MODEL
APPROVED: JAG 04/03/2017	AW139
SCALE 1:1	DATE 2/2/2011
SHEET 7 OF 8	

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS					
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED
1		-13 ADDED P.F. -5.	3/28/2011	RJC	
3		-13 CH'D DIM WAS Ø.550 IS Ø.5512 - .5515, REMOVED NOTE.	4/9/2014	DPD	RJC

Ø .5515
Ø .5512
(P.F. -5)



(-13)

DISC



TITLE
M/R BLADE BLOCKING/PROTECTING ASSY.

DWG NO. RBW6205G03832-3G-13 REV 5

MAT'L 303 S.S.	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	
HEAT TREAT	.XXX ± .005	FRACTIONS ± 1/8
FINISH	.XX ± .01	ANGLES ± .5°
SPEC	.X ± .1	SURFACES = 125/
DRAWN BY: CLOUGH	1. BREAK ALL SHARP EDGES .015 x 45° OR .015R	
CHECKED: RJC 03/07/2017	2. DIMENSIONAL LIMITS APPLY AFTER PLATING	
OPPS APPR: AA 03/09/2017	3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009	
QA APPR: JL 03/16/2017	USED ON MODEL	
APPROVED: JAG 04/03/2017	AW139	
SCALE 2:1	DATE 2/2/2011	SHEET 8 OF 8



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200

PURCHASE ORDER **PO041327**

Supplier: MEM001-VC
Metec Metal Technology Inc.
20 Terry Fox Drive PO Box 781
Vankleek Hill
ON
K0B 1R0 Canada
Phone: 613 678 3957
Fax: 613 678 3956

Attention: Walz, Shigi

Ship To: 1270 Aberdeen Street
Hawkesbury
ON
K6A 1K7 Canada
Phone: 613-632-5200

PO No: PO041327
PO Date: 10/11/18
Due Date: 12/17/18
Purchase Order Revision:
Revision Date:
Ship-To Contact: Phone:

Via: Ground
Pynt Terms: Net 60
Freight Terms:
Special Comments:

Items

Line Item	Job	Part	Supplier Part No	Item No	Description	Status	Account	Due Date	Order Quantity	Received Quantity	Balance	Unit Price (CAD)	Extended Price
1	184557	RBW6205G03731-3GP REV 4			Trim Tab Bending Gauge Assembly	Firmed	-	12/17/18	1 Ea	0 Ea	1 Ea	\$2,250.00/Ea	\$2,250.00
Line Item Note SIOP													
2	184558	RBW6205G03632-3GP REV 2			Main Rotor Trim Tab Bending Tool	Firmed	-	12/17/18	1 Ea	0 Ea	1 Ea	\$897.00/Ea	\$897.00
Line Item Note SIOP													
3	184559	RBW6205G03832-3GP REV 5			Main Rotor Blade Blocking/Protecting Assembly	Firmed	-	12/17/18	1 Ea	0 Ea	1 Ea	\$2,065.00/Ea	\$2,065.00
Line Item Note SIOP													
												Grand Total:	\$5,212.00

Order Notes

Procurement Quality Clauses
A005 RIGHT OF ENTRY
A008 FIRST ARTICLE INSPECTION (FAI) BY SELLER, (DOCUMENTATION SENT TO DART AEROSPACE)
A012 CHEMICAL AND PHYSICAL TEST REPORTS
A016 PERSONNEL QUALIFICATION
A017 RAW MATERIAL IDENTIFICATION (AS APPLICABLE)
A026 CERTIFICATION OF MATERIAL CONFORMANCE
A041 QUALITY MANAGEMENT SYSTEM
A042 DART NOTIFICATION BY SUPPLIER
A043 RETENTION OF QUALITY DOCUMENT

A048 COUNTERFEIT PARTS AVOIDANCE, DETECTION, MITIGATION AND DISPOSITION PROGRAM
A049 SUPPLIER AWARENESS

Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit www.dartaerospace.com for further explanation.

Plex 10/11/18 2:54 PM dart.Lussier.Patrick

RBW6205G03532-36

**METAL TECHNOLOGY INC.****www.metec.ca | 20 Terry Fox Drive, Vankleek Hill, Ontario, Canada K0B 1R0 | Phone: +1 613-678-3957 Fax: +1 613-678-3956**

Packing List

Bill Dart Aerospace Ltd.
To: 1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Canada

Ship Dart Aerospace Ltd.
To: 1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Canada

Shipment No: 24408
Shipment Date: 18-Dec-2018
Ship Via: Pick up at METEC

Customer Code: DART
Phone: (613) 632-9577

Terms: Net 60 Days

----- Quantity -----								Job
Item	Open	Shipped	B/O	Canceled	Unit	Description	Revision	Number
2	1	1 ✓	0	0	EA	DART-RBW6205G03832-3GP M/R Blade Blocking/Protecting Assy Order No: 3091 Order Date: 10/12/18 PO Number: PO041327 ✓	5 ✓	3091-02
4	2	2 ✓	0	0	EA	DART-RBW6005G01531-3GP Dial Indicator Main Rotor Damper Support Order No: 3096 Order Date: 10/17/18 PO Number: PO041367 ✓	2	3096-04
5	2	2	0	0	EA	DART-RBW6405G00531-3GP Tail Rotor Damper Length Adjustment Tool Order No: 3096 Order Date: 10/17/18 PO Number: PO041367 ✓	A	3096-05
6	2	2 ✓	0	0	EA	DART-RBW6405G02131-3GP Tail Rotor Blade Damper Attachment Bushing Removal Order No: 3096 Order Date: 10/17/18 PO Number: PO041367 ✓	D	3096-06
7	2	2 ✓	0	0	EA	DART-RBW6205G05951-3GP Main Rotor Damper Rod End Wrench Order No: 3096 Order Date: 10/17/18 PO Number: PO041367 ✓	2	3096-07
8	2	2 ✓	0	0	EA	DART-RBW3205G00151-3GP Main Landing Gear Wrench Order No: 3096 Order Date: 10/17/18 PO Number: PO041367 ✓	2	3096-08

DAS
38
9-8c



20 Terry Fox Drive, Vankleek Hill, Ontario K0B 1R0

Tel. (613) 678-3957 & (613) 678-2782 Fax (613) 678-3956 metec@metec.ca

CERTIFICATE OF CONFORMITY

SOLD TO:

Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, Ont.
K6A 1K7

SHIPPED TO:


same

Quantity	Part Number	Part Name	Dwg Rev.#	P.O. Number
1 ✓	DART-RBW6205G03832- 3GP ✓	M/R Blade Blocking/Protecting Assy	5	41327 ✓
2	DART-RBW6005G01531- 3GP	Dial Indicator Main Rotor Damper Support	2	41367
2	DART-RBW6405G00531- 3GP	Tail Rotor Damper Length Adjustment Tool	A	41367
2	DART-RBW6405G02131- 3GP	Tail Rotor Blade Damper Attachment Bushing Removal	D	41367
2	DART-RBW6205G05951- 3GP	Main Rotor Damper Rod End Wrench	2	41367
2	DART-RBW3205G00151- 3GP	Main Landing Gear Wrench	2	41367
2 ✓	DART-RBW6205G20631- 3GP ✓	Wrench, Special Nut Removal/Installation	2 ✓	41367 ✓
1	DART-RBW6405G08832- 3GP	Tail Rotor Bushing Install Tool	D	41367
1	DART-RBW6405G08732- 3GP	Tail Rotor Bushing Removal Tool	E	41367

MATERIAL: supplied by METEC

We hereby certify that the above parts were made in conformance with applicable drawings.

METEC Metal Technology Inc.

A handwritten signature in cursive script, reading "George Theoret". The ink is dark and the signature is fluid, with a large initial 'G' and a stylized 'T'.

George Theoret

Vankleek Hill, December 19, 2018

